

powerlite®

09


SPECIAL  
AREA  
LUMINAIRES

Argo 1  
Argo 2  
Argo 3  
Argo 4  
Argo 5



# Argo 1



High Specification 2 & 3 Lamp 40W Halogen  
Wall/Mirror Lights with Integral Occupancy Detection Sensor



Lamp (Included)	Length	Code
3 x 40W G9	500mm	SH348
2 x 40W G9	350mm	SH248


For contemporary bathrooms, halls or corridors in hotels and residences.

- IP44 rating makes Argo 1 suitable for use in bathroom Zones 2 & 3
- The high frequency, occupancy detection sensor is adjustable to cover a 0.5 to 5m diameter zone
- Controllable operational light level and 'time on' period
- Light and sensor installed with single connection for rapid installation
- Opal glass cover with stainless steel endcaps



# Argo 2

4 x 55W TC-L Sports Hall Luminaire



Lamp (Not Inc.)	Code
4 x 55W TC-L	SE455

Ideal for leisure centres and multi purpose sports halls. High output compact fluorescent lamps provide a flexible alternative to HID sources.

- High Frequency Electronic control gear as standard
- Rugged zintec steel construction with welded steel mesh guard


## Options & Accessories

**Emergency Lighting Version**  
3 hour emergency version  
The emergency module and batteries are fully integral. Suffix /SC3

**Lighting Controls For Energy Saving**  
Available fitted with digital dimming ballasts for simple switch dimming or more sophisticated remote control, presence detection and daylight linking. Refer to page 89 for details.


Switch-dimming version Suffix /HFD  
DALI protocol control Suffix /DALI

'With Lamp' Option Available to special order



# Argo 3

2 Lamp 28W, 35W & 49W T5 IP65 Fluorescent Batten



Twin Lamp (Not Inc.)	Length x Width	Code
2 x 28W HE T5	1210mm x 100mm	SX228
2 x 35W HE T5	1510mm x 100mm	SX235
2 x 49W HO T5	1510mm x 100mm	SX249

**Options & Accessories** **Code**


**Emergency Lighting Version**

Maintained, self-contained 3 hour versions are available with integral module and batteries in Argo 3 twin body with single lamp only.

'With Lamp' Option Available to special order


Developed for use with TL5 lamp technology, suitable for where a dust and jet proof luminaire is required. Ideal for the food industry, factories, plant rooms and car parks.

- Slim, modern design with all UV stabilised polycarbonate construction
- High Frequency electronic control gear as standard
- Supplied complete with waterproof 20mm cable glands, optional suspension plates and spare clips



# Argo 4

1 Lamp 28W, 35W & 49W T5 IP65 Fluorescent Batten



Single Lamp (Not Inc.)	Length x Width	Code
1 x 28W HE T5	1210mm x 60mm	SX128
1 x 35W HE T5	1510mm x 60mm	SX135
1 x 49W HO T5	1510mm x 60mm	SX149

**Options & Accessories** **Code**

**Emergency Lighting Version**


Maintained, self-contained 3 hour versions are available with integral module and batteries in Argo 3 twin body with single lamp only.

Single Lamp	Length x Width	Code
1 x 28W HE T5	1210mm x 100mm	SX128/SC3
1 x 35W HE T5	1510mm x 100mm	SX135/SC3

'With Lamp' Option Available to special order


Developed for use with TL5 lamp technology, suitable for where a dust and jet proof luminaire is required. Ideal for the food industry, factories, plant rooms and car parks.

- Slim, modern design with all UV stabilised polycarbonate construction
- High Frequency electronic control gear as standard
- Supplied complete with waterproof 20mm cable glands, optional suspension plates and spare clips




# Argo 5


## Surface Mounted Luminaire



Lamp	Code
100W	PDG100
60W	PDG60



PDG100




PDG60

- Choice of 2 sizes for 100W or 60W B22d incandescent lamp (not inc.)
- White opal glass bowl fitted with B22d lampholder
- Suitable for bathroom, toilets, cloakrooms etc.




# Argo 6

## Curved Arm Signlight



Polished Brass	Black
PLS100	PLS101



- Polished brass and lacquered to protect against tarnishing or powder coated black
- Adds character to signage over pubs, restaurants, shops etc.
- Fitted with E27 lampholder, the end user has a choice of incandescent GLS lamps (100W max.) or Compact Fluorescent electronic energy saving lamps (lamp not included)

