

# 07

## UPLIGHTERS



Ursa 1  
Ursa 2





# Ursa 1

## Wall Mounted Compact Fluorescent Uplighter

Aluminium housing, perforated for subtle downward light component.  
1 or 2 lamp 55W TC-L.

- High Frequency electronic control gear as standard
- Available wattage: 1x55W, 2x55W TC-L
- Integral emergency versions
- Powder coated white



Lamp (Not Inc.)	Code
1x55W TC-L	EFS155
2x55W TC-L	EFS255


Options & Accessories	Code
-----------------------	------

**Emergency Lighting Version**  
3 hour emergency version  
The emergency module and batteries are fully integral.      Suffix /SC3

**Lighting Controls For Energy Saving (pg 188)**  
High frequency dimming version      Suffix /HFD

'With Lamp' Option      Available to special order

1x55W & 2x55W TC-L





## Ursa 2



### Wall Mounted Compact Fluorescent Luminaire

Suitable for decorative areas where direct and indirect light is required.

- High Frequency electronic control gear as standard
- UV stabilised opal cover
- Choice of coloured filters creates an attractive halo



TC-D



Lamp (Not Inc.)	Code
1x18W TC-D	EQ118
2x18W TC-D	EQ218
1x26W TC-D	EQ126
2x26W TC-D	EQ226

Options & Accessories	Code
<b>Halo Filters</b>	
Blue	Suffix /B
Green	Suffix /G
Red	Suffix /R
Clear	Suffix /C

**Lighting Controls For Energy Saving (pg 188)**  
 High Frequency dimming version Suffix /HFD

'With Lamp' Option Available to special order

1x18W, 2x18W, 1x26W & 2x26W

